




FPM/FPS FAN PACKAGE S1/F1

FPS 8 X1-G



**FPM/FPS FAN PACKAGE S1/F1****FPS 8 X1-G**

NAMN	<b>FPS 8 X1-G</b>	PRODUKT EAN	<b>7330701094576</b>
ART. NR	<b>56958</b>	ETIM	<b>EC000320</b>
ENUMMER	<b>2507988</b>	TULL TARIFKOD	<b>94039910</b>
BREDD	<b>800 MM</b>		
DJUP	<b>200 MM</b>		
FÄRG	<b>GREY</b>		
URSPRUNGLAND	<b>SWEDEN</b>		

**Teknisk information och certifikat**

- Fanpackage with 2 fans.
- FPM (Master) including built in thermostat and Schuko-C13 cable (length 2m).



- FPS (Slave) including C14-C13 cable (length 0.5m) for Connection to FPM.
- Surface treatment, textured grey RAL 7035.

### **Fan**

Fan type: Axial

Rated voltage: 230V/50Hz

Fan speed: 1650 rpm

Power consumption: 16 W

Capacity max: 169 m<sup>3</sup>/h (static pressure=0 Pa)

Capacity nominal: 118 m<sup>3</sup>/h (70% of max)

Working range: -10 to 70 C

Sound level: 40 dB

### **Thermostat**

Type: Bimetal with low hysteresis

Switching capacity: 16A (240 VAC resistive load)

Tolerance: +/- 4 K

Differential: 8 +/- 2 K

Setting range: 0 - 60 C