KKT ROOF SECTIONS

# KKT G3 128-V









**KKT ROOF SECTIONS**

# KKT G3 128-V

| | | | |
|---|---|---|---|
| NAMN | **KKT G3 128-V** | PRODUKT EAN | **7330701116629** |
| ART. NR | **58263** | TULL TARIFKOD | **94039910** |
| FÄRG | **WHITE** | | |
| URSPRUNGSLAND | **SWEDEN** | | |

## Teknisk information och certifikat

- Extremely stable frame of steel sheet.
- Roof tiles of 4 mm fully tempered security glass, hold in place with slotted lock.
- Free walking height is the same as cabinet height, 2000 or 2200 mm.
- Finish: Enoc white RAL 9003.
- Delivered mounted including all fixing material.

- Art no 57979, KKTW G3 Wall-fixing required for wall-fixing of KKTW.

KKT G3

- Fixing on two Enoc S1 racks (1000 or 1200 mm deep and 2000 or 2200 mm high).
- Standard aisle width of 1200 mm. Other widths available on request.

KKTW G3

- Roof configuration for single row aisle close to a wall.
- Fixing on one Enoc S1 rack and next to a wall.
- Aisle width: 1200 mm +/-5 mm. Other widths available on request.
- Requires KKTW G3 Wall-fixing accessory.