



NSVE WALL CABINET

NSVE 158-P





NSVE WALL CABINET

NSVE 158-P

NAMN	NSVE 158-P	PRODUKT EAN	7330701072079
ART. NR	53888	ETIM	EC002503
ENUMMER	2500897	TULL TARIFKOD	94032080
BREDD	565 MM		
DJUP	800 MM		
HÖJD	733 MM		
FÄRG	BEIGE		
URSPRUNGSLAND	SWEDEN		

Teknisk information och certifikat

- Made of sheet steel, aluminium profiles and die-cast zinc corner pieces.
- Finish: Enoc System textured beige.
- Glass or metal door. Glass door is made of smoke-coloured safety glass, metal door is made of sheet steel.
Doors reinforced with aluminium profiles and sheet steel.
- Door opening angle 180°.
- Locking knob LS 15 with standard lock cylinder for key C101.
- Sheet steel side panels, easy to detach, fixed with a screw from the inside.
- The top and bottom have a new larger adjustable cable gland with a foam plastic seal. Knock-out panel can be replaced with ventilation plates (VPE) or fan packages (FPME).
- One pair of 19-inch profiles (482.6 mm) pre-fitted 110 mm in from the enclosure front, can be repositioned at 30 mm intervals through half the depth of the enclosure.
- Extra pair of 19" profiles available as accessory.
- Supplied with cover panel (TPA) installed in the 19-inch profiles. (Does not apply to 6HU.)
- Back/mounting panel (BS NSVE) available as accessory.
- Wall attachment profile for quick wall installation.
- Maximum static load 50 kg.
- Ingress protection class IP 20.

Leveransbeskrivning



Locking knob LS 15 with safety cylinder C101.

2 keys C101.

2 19" profiles.