

NEW!



ENOC F1

PREMIUM IT ENCLOSURE 19"
IMPROVED AND MORE SECURE DESIGN



NEW DOOR
More attractive design
More stable door with
hinge in metal

NEW HANDLE
New handle with
safety lock LS95 X1

NEW CORNER
New door corner
profiles in metal

F1 is a premium IT enclosure with optimal flexibility and stability to protect and organize your IT equipment. Now in a new upgraded design. Easy to assemble, disassemble and reassemble. Built with aluminium profiles with diecast zinc corners. High load capacity up to 1500 kilos. At Enoc we are committed to finding the solution that best fits you. That is what we call "The Enoc Way".



ENOCSYSTEM.COM

ENOC

DETAILS MAKE THE DIFFERENCE



TECHNICAL INFORMATION PREMIUM F1 IT ENCLOSURE



TECHNICAL INFORMATION

F1 enclosures are available in heights of 20, 24, 29, 33, 38, 42 and 47 HU in combination with widths of 600 and 800 mm and depths of 600, 800, 1000 and 1200 mm.

- Screw-assembled frame with aluminium profiles and die-cast zinc corners. The frame has two integrated vertical screw pockets in each corner profile for universal mounting of accessories.
- Frame can be dismantled by means of screws.
- Finish: Enoc System textured beige or black RAL9005.
- Ingress protection class IP20.
- Maximum static load 1500 kg divided on four 19" profiles.
- Front door is made of 4 mm smoke-coloured

safety glass built into an aluminium frame. LS 95 ergonomic locking handle with C101 safety cylinder. Can be adapted for other lock systems. Integrated quick lock system allows door to be removed without use of tools. Door opening angle >180° in single enclosure configuration. Right-hinged, can be re-hung to be left-hinged.

- Rear door made of 1 mm sheet steel built into an aluminium frame. LS 37 lock with C101 safety cylinder. Integrated quick lock system allows door to be removed without use of tools.
- Sheet steel side panels, easy to detach and lockable from inside. Integrated handle for easier handling.
- The top consists of replaceable modular

panels. One panel has cable glands with brush strip on the back and the rest are cover plates. Can be replaced with ventilation panels, fan packages or panels with integrated cable glands. All modules can be rotated 90° and assembled with the cable glands on the left and/or right side. The U-shaped panel with integrated cable glands makes it easy to move pre-existing installations into the enclosure.

- The base is open but can be fitted with cover plate/base plate packages.
- The 19" profiles can be steplessly repositioned through the depth of the enclosure. The depth profiles have markings for precise positioning. The 19" profiles are numbered in height units. The whole 19" assembly can be moved right or left to an off-centre position.



DESIGN WITHOUT SHARP EDGES

Enoc IT racks look so good that they are as suitable in an office as in a server room. The F1 is definitely no exception. Its rounded corners give it a sleek look. Concealed screws, aluminium profiles and an integrated door contribute to a streamlined appearance.

PLENTY OF SPACE

With the option of off-centre positioning, you can create plenty of space where you need it. A large space on both sides, or an extra large space on one side.

EASY TO INSTALL

F1 is built with aluminium profiles and supports up to 1500 kilos. The enclosure is assembled with nothing but screws, making it easy to assemble, dismantle and reassemble. The F1 can be adapted as your business grows and changes.

DELIVERY DESCRIPTIONS

- Locking handle LS 95 with safety cylinder C101
- 4 keys C101
- Depth 600 and 800 with two 19" profiles
- Depth 1000 and 1200 with four 19" profiles
- Central grounding point M5 in the corner post

Build your unique network cabinet at enocsystem.com





TECHNICAL DATA

F1 IT ENCLOSURE, 20-33 HU, BEIGE



F1 IT ENCLOSURE, BEIGE

ART. NO.	NAME	EAN	W x D x H (mm)	HU	COLOUR
55701	F1 6610	7330701085000	600 x 600 x 1000	20	Beige
55702	F1 6810	7330701085017	600 x 800 x 1000	20	Beige
55704	F1 61010	7330701085031	600 x 1000 x 1000	20	Beige
55706	F1 8610	7330701085055	800 x 600 x 1000	20	Beige
55707	F1 8810	7330701085062	800 x 800 x 1000	20	Beige
55709	F1 81010	7330701085086	800 x 1000 x 1000	20	Beige
55711	F1 6612	7330701085109	600 x 600 x 1200	24	Beige
55712	F1 6812	7330701085116	600 x 800 x 1200	24	Beige
55714	F1 61012	7330701085130	600 x 1000 x 1200	24	Beige
55716	F1 8612	7330701085154	800 x 600 x 1200	24	Beige
55717	F1 8812	7330701085161	800 x 800 x 1200	24	Beige
55719	F1 81012	7330701085185	800 x 1000 x 1200	24	Beige
55721	F1 6614	7330701085208	600 x 600 x 1400	29	Beige
55722	F1 6814	7330701085215	600 x 800 x 1400	29	Beige
55724	F1 61014	7330701085239	600 x 1000 x 1400	29	Beige
55726	F1 8614	7330701085253	800 x 600 x 1400	29	Beige
55727	F1 8814	7330701085260	800 x 800 x 1400	29	Beige
55729	F1 81014	7330701085284	800 x 1000 x 1400	29	Beige
55731	F1 6616	7330701085307	600 x 600 x 1600	33	Beige
55732	F1 6816	7330701085314	600 x 800 x 1600	33	Beige
55734	F1 61016	7330701085338	600 x 1000 x 1600	33	Beige
55736	F1 8616	7330701085352	800 x 600 x 1600	33	Beige
55737	F1 8816	7330701085369	800 x 800 x 1600	33	Beige
55739	F1 81016	7330701085383	800 x 1000 x 1600	33	Beige



TECHNICAL DATA

F1 IT ENCLOSURE, 20-33 HU, BLACK



F1 IT ENCLOSURE, BLACK

ART. NO.	NAME	EAN	WxDxH (mm)	HU	COLOUR
56001	F1 6610-S	7330701086502	600 x 600 x 1000	20	Black
56002	F1 6810-S	7330701086519	600 x 800 x 1000	20	Black
56004	F1 61010-S	7330701086533	600 x 1000 x 1000	20	Black
56006	F1 8610-S	7330701086557	800 x 600 x 1000	20	Black
56007	F1 8810-S	7330701086564	800 x 800 x 1000	20	Black
56009	F1 81010-S	7330701086588	800 x 1000 x 1000	20	Black
56011	F1 6612-S	7330701086601	600 x 600 x 1200	24	Black
56012	F1 6812-S	7330701086618	600 x 800 x 1200	24	Black
56014	F1 61012-S	7330701086632	600 x 1000 x 1200	24	Black
56016	F1 8612-S	7330701086656	800 x 600 x 1200	24	Black
56017	F1 8812-S	7330701086663	800 x 800 x 1200	24	Black
56019	F1 81012-S	7330701086687	800 x 1000 x 1200	24	Black
56021	F1 6614-S	7330701086700	600 x 600 x 1400	29	Black
56022	F1 6814-S	7330701086717	600 x 800 x 1400	29	Black
56024	F1 61014-S	7330701086731	600 x 1000 x 1400	29	Black
56026	F1 8614-S	7330701086755	800 x 600 x 1400	29	Black
56027	F1 8814-S	7330701086762	800 x 800 x 1400	29	Black
56029	F1 81014-S	7330701086786	800 x 1000 x 1400	29	Black
56031	F1 6616-S	7330701086809	600 x 600 x 1600	33	Black
56032	F1 6816-S	7330701086816	600 x 800 x 1600	33	Black
56034	F1 61016-S	7330701086830	600 x 1000 x 1600	33	Black
56036	F1 8616-S	7330701086854	800 x 600 x 1600	33	Black
56037	F1 8816-S	7330701086861	800 x 800 x 1600	33	Black
56039	F1 81016-S	7330701086885	800 x 1000 x 1600	33	Black



TECHNICAL DATA

F1 IT ENCLOSURE, 38-47 HU, BEIGE



F1 IT ENCLOSURE, BEIGE

ART. NO.	NAME	EAN	W x D x H (mm)	HU	COLOUR
55741	F1 6618	7330701085406	600 x 600 x 1800	38	Beige
55742	F1 6818	7330701085413	600 x 800 x 1800	38	Beige
55744	F1 61018	7330701085437	600 x 1000 x 1800	38	Beige
55746	F1 8618	7330701085451	800 x 600 x 1800	38	Beige
55747	F1 8818	7330701085468	800 x 800 x 1800	38	Beige
55749	F1 81018	7330701085482	800 x 1000 x 1800	38	Beige
55751	F1 6620	7330701085505	600 x 600 x 2000	42	Beige
55752	F1 6820	7330701085512	600 x 800 x 2000	42	Beige
55754	F1 61020	7330701085536	600 x 1000 x 2000	42	Beige
55755	F1 61220	7330701085543	600 x 1200 x 2000	42	Beige
55756	F1 8620	7330701085550	800 x 600 x 2000	42	Beige
55757	F1 8820	7330701085567	800 x 800 x 2000	42	Beige
55759	F1 81020	7330701085581	800 x 1000 x 2000	42	Beige
55760	F1 81220	7330701085598	800 x 1200 x 2000	42	Beige
55761	F1 6622	7330701085604	600 x 600 x 2200	47	Beige
55762	F1 6822	7330701085611	600 x 800 x 2200	47	Beige
55764	F1 61022	7330701085635	600 x 1000 x 2200	47	Beige
55765	F1 61222	7330701085642	600 x 1200 x 2200	47	Beige
55766	F1 8622	7330701085659	800 x 600 x 2200	47	Beige
55767	F1 8822	7330701085666	800 x 800 x 2200	47	Beige
55769	F1 81022	7330701085680	800 x 1000 x 2200	47	Beige
55770	F1 81222	7330701085697	800 x 1200 x 2200	47	Beige



TECHNICAL DATA

F1 IT ENCLOSURE, 38-47 HU, BLACK



F1 IT ENCLOSURE, BLACK

ART. NO.	NAME	EAN	W x D x H (mm)	HU	COLOUR
56041	F1 6618-S	7330701086908	600 x 600 x 1800	38	Black
56042	F1 6818-S	7330701086915	600 x 800 x 1800	38	Black
56044	F1 61018-S	7330701086939	600 x 1000 x 1800	38	Black
56046	F1 8618-S	7330701086953	800 x 600 x 1800	38	Black
56047	F1 8818-S	7330701086960	800 x 800 x 1800	38	Black
56049	F1 81018-S	7330701088964	800 x 1000 x 1800	38	Black
56051	F1 6620-S	7330701087004	600 x 600 x 2000	42	Black
56052	F1 6820-S	7330701087011	600 x 800 x 2000	42	Black
56054	F1 61020-S	7330701087035	600 x 1000 x 2000	42	Black
56055	F1 61220-S	7330701087042	600 x 1200 x 2000	42	Black
56056	F1 8620-S	7330701087059	800 x 600 x 2000	42	Black
56057	F1 8820-S	7330701087066	800 x 800 x 2000	42	Black
56059	F1 81020-S	7330701087080	800 x 1000 x 2000	42	Black
56060	F1 81220-S	7330701087097	800 x 1200 x 2000	42	Black
56061	F1 6622-S	7330701087103	600 x 600 x 2200	47	Black
56062	F1 6822-S	7330701087110	600 x 800 x 2200	47	Black
56064	F1 61022-S	7330701087134	600 x 1000 x 2200	47	Black
56065	F1 61222-S	7330701087141	600 x 1200 x 2200	47	Black
56066	F1 8622-S	7330701087158	800 x 600 x 2200	47	Black
56067	F1 8822-S	7330701087165	800 x 800 x 2200	47	Black
56069	F1 81022-S	7330701087189	800 x 1000 x 2200	47	Black
56070	F1 81222-S	7330701087196	800 x 1200 x 2200	47	Black



DETAILS MAKE THE DIFFERENCE

A unique modular system with endless possibilities. Meaning superb flexibility in design, construction, details and manufacturing to meet our customer's needs. With a complete supply chain – from project planning to assembly. Made in the heart of Sweden.

That's what we call "The Enoc Way".