

NEW!



# ENOC W10

WALL CABINETS 10" FOR BASIC NEEDS



#### W10 WHITE

Height: 6 & 12 HU

Width: 318 mm

Depth: 300 mm

#### BASIC FUNCTIONS

Fixed sides

Open back

Glass door with lock C101

Complete W10 wall enclosure,  
for small office installations.  
Available in white, RAL 9003.



Introducing the latest addition to Enoc Systems' range of wall cabinets. W10 is a 10" wall cabinet for basic needs. Available in one color, textured white, RAL 9003. 300 mm deep and 2 heights. And with a range of accessories to choose from. At Enoc we are committed to finding the solution that best fits you. That is what we call "The Enoc Way".

ENOCSYSTEM.COM

**ENOC**

DETAILS MAKE THE DIFFERENCE



## TECHNICAL INFORMATION ENOC W10



**Computer cabinets W10 is a series of 10" wall-mounted enclosures with basic functions, designed for SOHO (Small Office Home Office) installations. W10-series is available in 6 and 12 HU in depth of 300 mm.**

- Made of bent sheet steel
- Finish: Enoc System textured white, RAL 9003
- Glass door made of safety glass
- Door opening angle 110°
- Fixed sides
- Top and bottom plates have knockouts for cable glands.  
Supplied with edging strip for cable protection
- One pair of 19" inch profiles (482.6 mm), pre-fitted 80 mm from the front of the enclosure. Can be repositioned at 25 mm intervals from 55 mm to 180 mm from the front
- Keyholes for wall mounting
- Open back
- Maximum static load 30 kg
- Ingress protection class IP 20 (fixed on solid wall)



### DELIVERY DESCRIPTION

- Complete W10 wall enclosure
- Lock with security cylinder C101
- 2 keys C101
- 2 pcs 19" profiles




## ACCESSORIES



### MHF 10150-S - FIXED SHELF 10"

- Made of bent sheet steel
- Height 1 HU
- Finish: Enoc System textured black, RAL 9005



### KPRJ 8-S - FIXED SHELF 10"

- Compatible with connectors 14.80 x 20.00 mm
- Made of bent sheet steel
- Height 1 HU
- Finish: Enoc System textured black, RAL 9005




### EPU 04 - POWER DISTRIBUTION UNIT 10"

- Standard Schuko socket with aluminum casing and black plastic sockets
- Supplied with 2 m cable 3G 1.5 mm<sup>2</sup> with Schuko plug
- Max total load 250V, 16A
- Height 1 HU



### BS 1011-S, KPS 11-12 SC DUPLEX-S - FIBRE OPTIC BOX 10" (FBS) AND FRONT PANEL (KPS)

- Made of bent sheet steel
- Height 1 HU
- Cable inlets in back with two holes for rubber plugs, PG 16
- Complete delivery with a cable reel (KV 19) and two rubber plugs
- Front panel KPS to be ordered separately
- Front panel holes for SC-Duplex
- Finish: Enoc System textured black, RAL 9005



### BL BRUSH STRIP W10

- Brush strips for cable in the roof and/or bottom
- Fixed with a safety edge



## TECHNICAL DATA

### W10

NAME	ART. NO	EAN	WxDxH (mm)	HU
W10 6-3	57390	7330701018404	318x300x301	6 HU
W10 12-3	57392	7330701018428	318x300x568	12 HU

### ACCESSORIES



MHF 10150-S

KPRJ 8-S

EPU 04

FBS 1011-S

KPS 11-12 SC-DUPLEX

BL W10

### MHF 10150-S

NAME	ART. NO	EAN	WxDxH (mm)	HU
MHF 10150-S	57397	7330701018473	254x150x44	1 HU

### KPRJ 8-S

NAME	ART. NO	EAN	WxDxH (mm)	HU
KPRJ 8-S	57396	7330701018466	254x1.5x44	1 HU

### EPU 04

NAME	ART. NO	EAN	WxDxH (mm)	HU
EPU 04	54510	7330701029196	259x45x44	1 HU

### FBS 1011-S, KPS 11-12 SC DUPLEX-S

NAME	ART. NO	EAN	WxDxH (mm)	HU
FBS 1011-S	57398	7330701018480	254x150x44	1 HU
KPS 11-12 SC-DUPLEX	57399	7330701018497	254x1.5x44	1 HU

### BL W10

NAME	ART. NO	EAN	WxD (mm)	HU
BL W10	57395	7330701018459	170x58	-